STAFAST BUILDING PRODUCTS

7095 AMERICANA PKWY

REYNOLDSBURG, OH 43068

1-800-225-4714

# Safety Data Sheet

DESCRIPTION: ROOFKIT CONTACT

ADHESIVE-7-1502611-1-05

Date Issued

Page 1 of 7 09/06/2019

#### **SECTION 1: IDENTIFICATION**

Manufacturer Choice Adhesives

Address 666 Redna Terrace, Suite 600

Cincinnati, OH 45215

2500 Carroll Avenue Lynchburg, VA 24501

Information

Telephone Number

513-772-1234

434-847-5671

Emergency Contact

Number: Recommended Use 800-424-9300 (CHEMTREC)

Adhesive

#### SECTION 2: HAZARD(S) IDENTIFICATION

Classifications Skin Irritation: Category 2

Eye Damage: Category 2A
Reproductive Toxicity: Category 2
STOT Single Exposure: Category 3
STOT Repeated Exposure: Category 2

Aspiration: Category 1

Flammable Liquid: Category 2
Aquatic Hazard Acute: Category 1
Aquatic Hazard Long-term: Category 1

**Pictograms** 





**GHS Signal Word** 

DANGER!

Hazard Statements

Causes skin irritation.
Causes serious eye irritation.

Suspected of damaging fertility or the unborn child.

May cause drowsiness or dizziness.

May cause damage to organs through prolonged or repeated exposure.

May be fatal if swallowed and enters airways.

Highly flammable liquid and vapor.

Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects.

**Precautionary Statements** 

Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking. Keep cool.

Ground and bond container and receiving equipment.

Description:

ROOFKIT CONTACT ADHESIVE 7-1502611-1-05

Date Issued

Page 2 of 7 09/06/2019

IF ON SKIN: Take off all contaminated clothing and rinse skin with water.

Avoid release to the environment. Collect spillage. Avoid breathing vapors. Use in a well-ventilated area.

IF INHALED: Call a doctor if you feel unwell. Remove person to fresh air and

keep comfortable for breathing

Do not breathe vapors. Get medical attention if you feel unwell.

IF SWALLOWED: Call a doctor if you feel unwell. Do NOT induce vomiting. IF ON SKIN: Take off contaminated clothing and wash before reuse. Wash skin

with plenty of water. If skin irritation occurs: Get medical attention.

**Potential Health Effects** 

Principal Routes of Exposure Inhalation, skin absorption, eye contact

Ingestion:

Acute Effects

Eye: Contact with eyes may cause irritation. Direct contact with liquid or vapors may

cause stinging, tearing, redness, swelling and eye damage.

Skin: May cause skin irritation and/or dermatitis. Prolonged or repeated contact or

exposure to vapors may cause redness, burning, and drying and cracking of skin.

Inhalation: Breathing high concentrations of vapors may cause irritation of the nose and

throat or signs of nervous system depression (e.g., headache, nausea,

drowsiness, dizziness, vomiting, loss of coordination and fatigue)

Ingestion may cause irritation of the digestive tract, nausea, vomiting, and signs

of nervous system depression

Chronic Effects Avoid repeated exposure. May cause blood damage. Repeated contact may

cause allergic reactions in very susceptible persons.

Aggravated Medical Conditions Pre-existing eye, skin or resipiratory disorders may be aggravated by exposure to

this product.

#### SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Designation	CAS No.	% by Weight
Toluene	108-88-3	35 - 60%
Ethyl acetate	141-78-6	12 - 25%
Heptane	142-82-5	12 - 25%

Any remaining ingredients (to comprise 100% of the product) should be considered a proprietary blend of non-hazardous substances, or materials below threshold reporting limits.

#### **SECTION 4: FIRST AID MEASURES**

General Advice Show this safety data sheet to the doctor in attendance

Eyes Flush with plenty of cool water for at least 15 minutes, holding eyelids apart for

thorough irrigation. If irritation persists, get immediate medical attention.

Skin Wash affected area thoroughly with soap and water. Remove contaminated

clothing and wash affected areas thoroughly with mild soap. If skin irritation

persists, get immediate medical attention.

Inhalation Move to fresh air. If not breathing, give artificial respiration, preferably mouth-to-

mouth. If breathing is difficult, give oxygen and get immediate medical attention.

Description:

ROOFKIT CONTACT
ADHESIVE 7-1502611-1-05

Date Issued

Page 3 of 7 09/08/2019

Ingestion

Do not induce vomiting seek immediate medical attention. If vomiting occurs,

keep head lower than hips to prevent aspiration.

Notes to Physician

Treat symptomatically.

#### SECTION 5: FIRE FIGHTING MEASURES

Extinguishing Media

Carbon dioxide, dry chemicals, foam. Water may be helpful in keeping adjacent containers cool; avoid spreading the liquid with water used for cooling. Water-

based sprinkler systems may help contain larger fires.

Special Protective Equipment and firefighting procedures

Wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH

(approved or equivalent) and full protective gear.

Specific hazards arising from the chemical

Closed containers may rupture if exposed to fire or extreme heat. May produce

toxic fumes if burning.

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

**Personal Precautions** 

Use personal protective equipment. Remove all sources of ignition.

Environmental Precautions

Prevent further leakage or spillage if safe to do so. Do not allow material to contaminate ground water system. Prevent product from entering drains. Do not flush into surface water or sanitary sewer system. Local authorities should be

advised if significant spillages cannot be contained.

Methods for Clean-up

Dam up. Soak up with inert absorbent material. Pick up and transfer to properly

labeled containers. Clean contaminated surface thoroughly.

Other Information

None known.

#### **SECTION 7: HANDLING & STORAGE**

Handling

Use only in area provided with appropriate exhaust ventilation. Do not breathe vapors or spray mist. Wear appropriate personal protective equipment. Take precautionary measures against static discharges. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded.

Keep away from open flames, hot surfaces and sources of ignition.

Storage

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away

from extremes of heat or cold. Keep in properly labeled containers.

#### SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Note: Any items listed in the above with workplace control parameters which are not listed in section 3 are below threshold reporting values.

**REL - Recommended Exposure Limits** 

TLV - Threshold Limit Value

#### **Exposure Limits**

Components with workplace control parameters:

Hazardous Components

**OSHA PEL** 

**ACGIH TLV** 

Toluene

200

20

Description:

**ROOFKIT CONTACT** ADHESIVE 7-1502611-1-05

Date Issued

Page 4 of 7 09/06/2019

Ethyl acetate Heptane

400 500

400 400

**Engineering Measures** 

Ensure adequate ventilation, especially in confined areas.

**Personal Protective Equipment** 

Eyes/Face

Safety goggles or glasses, or full face shield.

Skin

Protective gloves and impervious clothing. Consult the glove/clothing

manufacturer for proper selection of materials.

Respiratory

In operations where exposure limits are exceeded, use a NIOSH-approved

respirator that has been selected by a technically qualified person for the specific

work conditions.

**Hygiene Practices** 

Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing before re-use. Wash thoroughly after handling. When using, do not eat,

drink or smoke.

#### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Amber-colored liquid.	Upper Flammability/Explosive Limit 7.46	
Oxidizing Properties	No Data Available	Lower Flammability/Explosive Limit	1.34
Odor	Solvent odor.	Vapor Pressure mm Hg	Not available
Odor Threshold	No Data Available	Vapor Density	Heavier than air
pH Value	No Data Available	Bulk Density (lb/gal)	7.48
Melting Point / Freezing Point	No Data Available	VOC Content (g/L)	651
Boiling Point	172.0 °F [77.8 °C]	VOC Less Water & Exempts (g/L)	651
Non-Volatile (wt%)	27.25	Specific Gravity (g/l)	0.898
Flash Point	24.0 °F [-4.4 °C]	Auto-Ignition Temperature	No Data Available
Explosive Properties	No Data Available	Decomposition Temperature	No Data Available
Evaporation Rate	Faster than nBuAc	Partition Coefficient	No Data Available
Flammability (solids)	No Data Available	Viscosity	No Data Available
Solubility in Water	Insoluble		

#### SECTION 10: STABILITY AND REACTIVITY

**Chemical Stability** 

Stable under normal conditions. Hazardous polymerization does not occur.

Possibility of Hazardous

None under normal conditions of use.

Reactions

Description:

ROOFKIT CONTACT
ADHESIVE 7-1502611-1-05

Date Issued

Page 5 of 7 09/06/2019

Conditions to Avoid

Keep away from open flames, hot surfaces, static electricity and sources of

ignition. Avoid extremes of heat or cold.

Materials to Avoid

incompatible with strong acids and bases, alkali metals, halogens, and strong

oxidizing agents.

**Hazardous Decomposition** 

Thermal decomposition can lead to release of irritating gases and vapors. Carbon monoxide, carbon dioxide, smoke, and other unidentified organic compounds may

be formed during combustion.

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

#### **Numerical Measures of Toxicity for Individual Components**

#### Likely Routes of Exposure

Inhalation, skin absorption, eye contact.

Acute

Oral: No data; Skin: No data; Inhalation:

Sensitization

Respiratory: No data; Skin: No data

Toxicity

No data

Skin: Category 2

Mutagenicity No data

Irritation

Category 2

Aspiration

Category 1

Reproductive Toxicity

.A

Hazards

Category

•

**Specific Target Organ Toxicity - Single Exposure** 

Category 3

Specific Target Organ Toxicity - Repeated Exposure

Category 2

#### Chronic Toxicity / Carcinogenicity

The information below indicates whether each agency has listed any ingredient as a carcinogen. If no ingredients are listed below, then there are no known classifications.

Component

IARC

NTP

**OSHA** 

#### **SECTION 12: ECOLOGICAL INFORMATION**

The information and data for components are listed individually for areas of ecological consideration below.

**Aquatic Toxicity** 

Acute and prolonged toxicity to fish:

No Data Available

Acute toxicity to aquatic invertebrates:

No Data Available

Environmental fate and pathways:

No Data Available

Persistence and Degradability

No Data Available

Mobility in Soil

No Data Available

Bioaccumulative Potential

No Data Available

Other Adverse Effects

No Data Available

#### **SECTION 13: DISPOSAL CONSIDERATION**

Description:

ROOFKIT CONTACT
ADHESIVE 7-1502611-1-05

Date Issued

Page 6 of 7 09/06/2019

Waste Disposal Method

Dispose of in accordance with all applicable local, state, and federal regulations. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit, and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

#### **SECTION 14: TRANSPORT INFORMATION**

The shipping classification in this section is meant as a guide to overall classification of the product. However, transportation classifications may be subject to change with changes in package size. Consult shipper requirements under 49 CFR, IATA and IMDG to assure regulatory compliance.

#### REGULATION

#### DESCRIPTION

DOT

Proper Shipping Name ADHESIVES
Technical Name Not available
Hazard Class 3
UN Number UN1133
Packing Group PGII
Placards



ICAO / IATA No Data Available
IMDG / IMO No Data Available

#### **SECTION 15: REGULATORY INFORMATION**

**US TSCA** Yes All components are listed or exempt.

Canada DSL Yes All components are listed or exempt.

OSHA Regulatory Status This material is considered hazardous by the OSHA Hazard Communication

Standard (29 CFR 1910.1200)

SARA 313 Section 313 OF Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). If listed below, this product contains a chemical or chemicals which

Description:

ROOFKIT CONTACT ADHESIVE 7-1502611-1-05

Date Issued

Page 7 of 7 09/06/2019

are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

**Chemical Designation** 

**CAS Number** 

Weight %

Toluene

108-88-3

35 - 60%

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPS) (see 40 CFR 61)

**Chemical Designation** 

**CAS Number** 

Weight %

Toluene

108-88-3

35 - 60%

State Regulations

California Prop. 65

This product contains one or more chemicals known to the state of California to cause cancer and/or reproductive harm. Unless chemical names are listed below, these chemicals are present only in trace amounts. www.P65Warnings.ca.gov

**Chemical Name** 

**CAS Number** 

Toluene

108-88-3

#### **SECTION 16: OTHER INFORMATION**

#### NFPA is a Health, Flammability and Reactivity rating: 230B

4 SEVERE HAZARD, 3 SERIOUS HAZARD, 2 MODERATE HAZARD, 1 SLIGHT HAZARD, 0 MINIMAL HAZARD, \* Chronic Hazard

Date Printed

09/06/2019

SDS Review Date

09/26/2018

#### **DISCLAIMER**

The above Information is based on the present state of our knowledge of the product at the time of publication. It is given in good faith. No warranty is implied with respect to the quality or the specification of the product and the user must satisfy his self that the product is entirely suitable for his purposes.

\*\*\*\*\* END OF SAFETY DATA SHEET \*\*\*\*\*